

On the Maximum Drawdown of a Brownian Motion

Shubhankit Mohan

October 12, 2013

Abstract

The maximum drawdown possible of an asset whose return series follows a Geometric Brownian Motion Process.


1 Background

If $X(t)$ is a random process on $[0, T]$, the maximum drawdown at time T , $D(T)$, is defined by where

$$D(T) = \sup [X(s) - X(t)]$$


here s belongs to $[0, t]$ and t belongs to $[0, T]$ Informally, this is the largest drop from a peak to a bottom. In this paper, we investigate the behavior of this statistic for a Brownian motion with drift. In particular, we give an infinite series representation of its distribution, and consider its expected value. When the drift is zero, we give an analytic expression for the expected value, and for non-zero drift, we give an infinite series representation. For all cases, we compute the limiting ($T \rightarrow \infty$) behavior, which can be logarithmic ($\mu > 0$, square root ($\mu = 0$, or linear ($\mu < 0$.

ected Shortfall(.99) and Drawdown of a Brwonian Motion Asset F



We can observe that the fund "**Emerging Markets**", which has the largest draw-down and serial autocorrelation, has highest Drawdown , *decrease* most significantly as compared to other funds.

ected Shortfall(.99) and Drawdown of a Brwonian Motion Asset F



We can see that the model, correctly ranks the highest drawdown fund managers, i.e. **HAM2**, which has the largest drawdown among all the funds.